Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Applied Mathematical Modelling 28 (2004) 1083–1088
APPLIED MATHEMATICAL MODELLING
www.elsevier.com/locate/apm

Author Index to Volume 28

Aboul-Hassan, A.L., see Attia, H.A. 28 (2004) 1007
Aguilera, A.M., see Bouzas, P.R. 28 (2004) 769
Alexandridis, A., see Vakalis, D. 28 (2004) 411
Alexandridis, A., see Vakalis, D. 28 (2004) 389
Asghar, S., see Hayat, T. 28 (2004) 591
Attia, H.A. and A.L. Aboul-Hassan, On hydromagnetic flow due to a rotating disk 28 (2004) 1007
Attia, H.A. and M.E. Sayed-Ahmed, Hall effect on unsteady MHD Couette flow and heat transfer of a Bingham fluid with suction and injection 28 (2004) 1027

Bafas, G., see Vakalis, D. 28 (2004) 389
Bafas, G., see Vakalis, D. 28 (2004) 411
Bailey, C., see Slone, A.K. 28 (2004) 211
Benjamin, S.F., Z. Liu and C.A. Roberts, Automotive catalyst design for uniform conversion efficiency 28 (2004) 559
Bennett, C., see Slone, A.K. 28 (2004) 211
Bevilacqua, L., Fractal balls 28 (2004) 547
Bian, Z.G., see Chen, W.Q. 28 (2004) 877
Botkin, N.D. and V.L. Turova, Mathematical models of a biosensor 28 (2004) 573
Bouzas, P.R., M.J. Valderrama and A.M. Aguilera, A theoretical note on the distribution of a filtered compound doubly stochastic Poisson process 28 (2004) 769
Buick, J.M., J.A. Cosgrove and C.A. Greated, Gravity-capillary internal wave simulation using a binary fluid lattice Boltzmann model 28 (2004) 183

Ca, V.T., see Hieu, P.D. 28 (2004) 983
Ceccio, S.L., see Che, J. 28 (2004) 127
Chang, A. and J. Dantzig, Improved sand surface element for residual stress determination 28 (2004) 533
Chang, C.-M., see Chen, C.-L. 28 (2004) 863
Chang, K.-M., see Chen, C.-L. 28 (2004) 863
Chau, K.W., A three-dimensional eutrophication modeling in Tolo Harbour 28 (2004) 849
Che, J., S.L. Ceccio and G. Tryggvason, Computations of structures formed by the solidification of impinging molten metal drops 28 (2004) 127
Chen, A., see Sheu, J.-B. 28 (2004) 445
Chen, C.-I., C.-K. Chen and Y.-T. Yang, Unsteady unidirectional flow of Bingham fluid between parallel plates with different given volume flow rate conditions 28 (2004) 697
Chen, C.-K., see Chen, C.-I. 28 (2004) 697

doi:10.1016/S0307-904X(04)00127-1

Chen, C.-L., K.-M. Chang and C.-M. Chang, Modeling and control of a web-fed machine 28 (2004) 863
Chen, C.-N., DQEM and DQFDM irregular elements for analyses of 2-D heat conduction in orthotropic media 28 (2004) 617
Chen, W.Q., C.F. Lü and Z.G. Bian, A mixed method for bending and free vibration of beams resting on a Pasternak elastic foundation 28 (2004) 877
Chou, Y.-H., see Sheu, J.-B. 28 (2004) 445
Chu, Y.-H., see Hsu, P.-T. 28 (2004) 639
Copetti, M.I.M. and D.A. French, Numerical studies of the stability of steady-state solutions to a contact problem in coupled thermoelasticity 28 (2004) 323
Cosgrove, J.A., see Buick, J.M. 28 (2004) 183
Cross, M., see Slone, A.K. 28 (2004) 211
Cross, M., see Voller, V.R. 28 (2004) 79

Dadashzadeh, M., see Mirbagheri, S.M.H. 28 (2004) 933
Dantzig, J., see Chang, A. 28 (2004) 533
Dass, A.K., see Dewan, A. 28 (2004) 241
Davami, P., see Mirbagheri, S.M.H. 28 (2004) 933
de Sousa, F.L., V. Vlassov and F.M. Ramos, Generalized extremal optimization: An application in heat pipe design 28 (2004) 911
Dewan, A., K. Kalita and A.K. Dass, Comparison of three buoyancy extended versions of the k–ϵ–$\overline{t^2}$ model in predicting turbulent plane plume 28 (2004) 241
Du, X., see Feng, X. 28 (2004) 145
Du Terrail, Y., see Felten, F. 28 (2004) 15

El-Kaddah, N., see Natarajan, T.T. 28 (2004) 47
Ellahi, R., see Hayat, T. 28 (2004) 591

Fan, J., Surface seismic Rayleigh wave with nonlinear damping 28 (2004) 163
Fautrelle, Y., see Felten, F. 28 (2004) 15
Felten, F., Y. Fautrelle, Y. Du Terrail and O. Metais, Numerical modelling of electromagnetically-driven turbulent flows using LES methods 28 (2004) 15
Feng, X., X. Yan, Y. Wei and X. Du, Analysis of extension propagation process of interface crack between belts of a radial tire using a finite element method 28 (2004) 145
Fletcher, D.F., see Guo, B. 28 (2004) 273
French, D.A., see Copetti, M.I.M. 28 (2004) 323
Fromion, V., see Litrico, X. 28 (2004) 677

Gembarovic, J., M. Löffler and J. Gembarovic, Jr., Simple algorithm for temperature distribution calculations 28 (2004) 173
Gembarovic, Jr., J., see Gembarovic, J. 28 (2004) 173
Giannakoglou, K.C., see Kampolis, I.C. 28 (2004) 197
Graadahl, S., see Johansen, S.T. 28 (2004) 63
Greated, C.A., see Buick, J.M. 28 (2004) 183
Guo, B., D.F. Fletcher and T.A.G. Langrish, Simulation of the agglomeration in a spray using Lagrangian particle tracking 28 (2004) 273

Hagelien, T.F., see Johansen, S.T. 28 (2004) 63
Hart, S.M. and E.D. Hart, On optimal design of timber columns under resource and implementation constraints 28 (2004) 751
Hart, E.D., see Hart, S.M. 28 (2004) 751
Hasan, M., see Naji Meidani, A.R. 28 (2004) 333
Hayat, T., R. Ellahi, S. Asghar and A.M. Siddiqui, Flow induced by non-coaxial rotation of a porous disk executing non-torsional oscillations and a second grade fluid rotating at infinity 28 (2004) 591
Heragu, S.S., see Rajagopalan, S. 28 (2004) 735
Hieu, P.D., T. Katsutoshi and V.T. Ca, Numerical simulation of breaking waves using a two-phase flow model 28 (2004) 983
Hsu, P.-T. and Y.-H. Chu, An inverse non-Fourier heat conduction problem approach for estimating the boundary condition in electronic device 28 (2004) 639

Jain, M., Rakhee and S. Maheshwari, *N*-policy for a machine repair system with spares and reneging 28 (2004) 513
Jain, M., Rakhee and M. Singh, Bilevel control of degraded machining system with warm standbys, setup and vacation 28 (2004) 1015
Jayas, D.S., see Smith, E.A. 28 (2004) 1047
Johansen, S.T., S. Graadahl and T.F. Hagelien, Entrainment of inclusions from the dross in stirred reactors for melt treatment 28 (2004) 63

Kadar, L., see Lavers, J.D. 28 (2004) 29
Kaiser, M.J. and S. Tumma, Take-or-pay contract valuation under price and private uncertainty 28 (2004) 653
Kalita, K., see Dewan, A. 28 (2004) 241
Kampolis, I.C., E.I. Karangelos and K.C. Giannakoglou, Gradient-assisted radial basis function networks: theory and applications 28 (2004) 197
Karangelos, E.I., see Kampolis, I.C. 28 (2004) 197
Katsutoshi, T., see Hieu, P.D. 28 (2004) 983
Ke, J.-C., Bi-level control for batch arrival queues with an early startup and un-reliable server 28 (2004) 469
Kim, M.J., Transient evaporative laser cutting with moving laser by boundary element method 28 (2004) 891
Kiranoudis, C., see Vakalis, D. 28 (2004) 389
Kiranoudis, C.T., see Vakalis, D. 28 (2004) 411
Kohaupt, L., New upper bounds for free linear and nonlinear vibration systems with applications of the differential calculus of norms 28 (2004) 367
Koltsakis, G.C., see Tsinoglou, D.N. 28 (2004) 775
Krane, M.J.M., Macrosegregation development during solidification of a multi-component alloy with free-floating solid particles 28 (2004) 95

Lam, K.Y., J. Zhang and Z. Zong, A numerical study of wave propagation in a poro-elastic medium by use of localized differential quadrature method 28 (2004) 487
Langrish, T.A.G., see Guo, B. 28 (2004) 273
Lavers, J.D. and L. Kadar, Application of electromagnetic forces to reduce tundish nozzle clogging 28 (2004) 29

Leble, S. and W.M. Lewandowski, A theoretical consideration of a free convective boundary layer on an isothermal horizontal conic 28 (2004) 305
Lee, M.Z.C. and T.R. Marchant, Microwave thawing of cylinders 28 (2004) 711
Lewandowski, W.M., see Leble, S. 28 (2004) 305
Litrico, X. and V. Fromion, Analytical approximation of open-channel flow for controller design 28 (2004) 677
Liu, Z., see Benjamin, S.F. 28 (2004) 559
Löffler, M., see Gembarovic, J. 28 (2004) 173
Loula, A.F.D., see Wille, S.Ø. 28 (2004) 607
Lü, C.F., see Chen, W.Q. 28 (2004) 877

Maheshwari, S., see Jain, M. 28 (2004) 513
Marchant, T.R., see Lee, M.Z.C. 28 (2004) 711
Mazumder, P. and R. Trivedi, Integrated simulation of thermo-solutal convection and pattern formation in directional solidification 28 (2004) 109
Metais, O., see Felten, F. 28 (2004) 15
Mirbagheri, S.M.H., M. Dadashzadeh, S. Serajzadeh, A.K. Taheri and P. Davami, Modeling the effect of mould wall roughness on the melt flow simulation in casting process 28 (2004) 933
Missirlis, D.K., see Tsinoglou, D.N. 28 (2004) 775
Mouchmov, A., see Voller, V.R. 28 (2004) 79

Naji Meidani, A.R. and M. Hasan, Mathematical and physical modelling of bubble growth due to ultrasound 28 (2004) 333
Natarajan, T.T. and N. El-Kaddah, Finite element analysis of electromagnetic and fluid flow phenomena in rotary electromagnetic stirring of steel 28 (2004) 47
Nikolopoulos, C.V., A model for melting of an inhomogeneous material during modulated temperature differential scanning calorimetry 28 (2004) 427

Ostoja-Starzewski, M., see Wang, G. 28 (2004) 957

Pericleous, K., see Slone, A.K. 28 (2004) 211
Premrov, M. and I. Špacapan, Solving exterior problems of wave propagation based on an iterative variation of local DtN operators 28 (2004) 291

Rajagopalan, S., S.S. Heragu and G.D. Taylor, A Lagrangian relaxation approach to solving the integrated pick-up/drop-off point and AGV flowpath design problem 28 (2004) 735
Rakhee, see Jain, M. 28 (2004) 513
Rakhee, see Jain, M. 28 (2004) 1015
Ramos, F.M., see de Sousa, F.L. 28 (2004) 911
Ray, A., see Wang, X. 28 (2004) 817
Roberts, C.A., see Benjamin, S.F. 28 (2004) 559

Saldanha da Gama, R.M., On the conduction/radiation heat transfer problem in a body with wavelength-dependent properties 28 (2004) 795
Sarimveis, H., see Vakalis, D. 28 (2004) 389
Sarimveis, H., see Vakalis, D. 28 (2004) 411

Sayed-Ahmed, M.E., see Attia, H.A. 28 (2004) 1027
Serajzadeh, S., see Mirbagheri, S.M.H. 28 (2004) 933
Sheu, J.-B., Y.-H. Chou and A. Chen, Stochastic modeling and real-time prediction of incident effects on surface street traffic congestion 28 (2004) 445
Siddiqui, A.M., see Hayat, T. 28 (2004) 591
Singh, M., see Jain, M. 28 (2004) 1015
Slone, A.K., K. Pericleous, C. Bailey, M. Cross and C. Bennett, A finite volume unstructured mesh approach to dynamic fluid–structure interaction: an assessment of the challenge of predicting the onset of flutter 28 (2004) 211
Smith, E.A. and D.S. Jayas, Air traverse time in grain bins 28 (2004) 1047
Spacapan, I., see Premrov, M. 28 (2004) 291
Staff, Ø., see Wille, S.Ø. 28 (2004) 607
Sugden, S.J., View factor for inclined plane with Gaussian source 28 (2004) 1063

Taheri, A.K., see Mirbagheri, S.M.H. 28 (2004) 933
Taylor, G.D., see Rajagopalan, S. 28 (2004) 735
Thess, A., see Zikanov, O. 28 (2004) 1
Trivedi, R., see Mazumder, P. 28 (2004) 109
Tryggvason, G., see Che, J. 28 (2004) 127
Tsinoglou, D.N., G.C. Koltsakis, D.K. Missirlis and K.J. Yakinthos, Transient modelling of flow distribution in automotive catalytic converters 28 (2004) 775
Tumma, S., see Kaiser, M.J. 28 (2004) 653
Turova, V.L., see Botkin, N.D. 28 (2004) 573

Uri, N.D., Measuring the impact of incentive regulation on technical efficiency in telecommunications in the United States 28 (2004) 255

Vakalis, D., H. Sarimveis, C. Kiranoudis, A. Alexandridis and G. Bafas, A GIS based operational system for wildland fire crisis management
I. Mathematical modelling and simulation 28 (2004) 389
Vakalis, D., H. Sarimveis, C.T. Kiranoudis, A. Alexandridis and G. Bafas, A GIS based operational system for wildland fire crisis management
II. System architecture and case studies 28 (2004) 411
Valderrama, M.J., see Bouzas, P.R. 28 (2004) 769
Vlassov, V., see de Sousa, F.L. 28 (2004) 911
Voller, V.R., A. Mouchmov and M. Cross, An explicit scheme for coupling temperature and concentration fields in solidification models 28 (2004) 79

Wang, X. and A. Ray, A language measure for performance evaluation of discrete-event supervisory control systems 28 (2004) 817
Wang, G. and M. Ostoja-Starzewski, A numerical study of plume dispersion motivated by a mesoscale atmospheric flow over a complex terrain 28 (2004) 957
Wei, Y., see Feng, X. 28 (2004) 145
Wille, S.Ø., Ø. Staff and A.F.D. Loula, Efficient a priori pivoting schemes for a sparse direct Gaussian equation solver for the mixed finite element formulation of the Navier–Stokes equations 28 (2004) 607

Yakinthos, K.J., see Tsinoglou, D.N. 28 (2004) 775
Yan, X., Analysis for a crack emanating from a corner of a square hole in an infinite plate using the hybrid displacement discontinuity method 28 (2004) 835
Yan, X., see Feng, X. 28 (2004) 145
Yang, Y.-T., see Chen, C.-I. 28 (2004) 697

Zhang, J., see Lam, K.Y. 28 (2004) 487
Zhong, H., Spline-based differential quadrature for fourth order differential equations and its application to Kirchhoff plates 28 (2004) 353
Zikanov, O. and A. Thess, Direct numerical simulation as a tool for understanding MHD liquid metal turbulence 28 (2004) 1
Zong, Z., see Lam, K.Y. 28 (2004) 487

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Applied Mathematical Modelling 28 (2004) 1089–1109
APPLIED MATHEMATICAL MODELLING
www.elsevier.com/locate/apm

Subject Index to Volume 28

Advection diffusion

Air traverse time in grain bins, E.A. Smith and D.S. Jayas 28 (2004) 1047

Agglomeration

Simulation of the agglomeration in a spray using Lagrangian particle tracking, B. Guo, D.F. Fletcher and T.A.G. Langrish 28 (2004) 273

AGV

A Lagrangian relaxation approach to solving the integrated pick-up/drop-off point and AGV flowpath design problem, S. Rajagopalan, S.S. Heragu and G.D. Taylor 28 (2004) 735

Alternating direction finite different method

A numerical study of plume dispersion motivated by a mesoscale atmospheric flow over a complex terrain, G. Wang and M. Ostoja-Starzewski 28 (2004) 957

Analytical model

Analytical approximation of open-channel flow for controller design, X. Litrico and V. Fromion 28 (2004) 677

A priori pivoting

Efficient a priori pivoting schemes for a sparse direct Gaussian equation solver for the mixed finite element formulation of the Navier–Stokes equations, S.Ø. Wille, Ø. Staff and A.F.D. Loula 28 (2004) 607

ASOLA-VOF technique

Modeling the effect of mould wall roughness on the melt flow simulation in casting process, S.M.H. Mirbagheri, M. Dadashzadeh, S. Serajzadeh, A.K. Taheri and P. Davami 28 (2004) 933

Automotive catalyst

Automotive catalyst design for uniform conversion efficiency, S.F. Benjamin, Z. Liu and C.A. Roberts 28 (2004) 559

Bending and free vibration

A mixed method for bending and free vibration of beams resting on a Pasternak elastic foundation, W.Q. Chen, C.F. Lü and Z.G. Bian 28 (2004) 877

doi:10.1016/S0307-904X(04)00128-3

Bi-directional

A Lagrangian relaxation approach to solving the integrated pick-up/drop-off point and AGV flowpath design problem, S. Rajagopalan, S.S. Heragu and G.D. Taylor 28 (2004) 735

Bi-level control

Bi-level control for batch arrival queues with an early startup and un-reliable server, J.-C. Ke 28 (2004) 469

Bilevel-policy

Bilevel control of degraded machining system with warm standbys, setup and vacation, M. Jain, Rakhee and M. Singh 28 (2004) 1015

Bingham fluid

Unsteady unidirectional flow of Bingham fluid between parallel plates with different given volume flow rate conditions, C.-I. Chen, C.-K. Chen and Y.-T. Yang 28 (2004) 697

Binomial lattice

Take-or-pay contract valuation under price and private uncertainty, M.J. Kaiser and S. Tumma 28 (2004) 653

Boundary element method

Analysis for a crack emanating from a corner of a square hole in an infinite plate using the hybrid displacement discontinuity method, X. Yan 28 (2004) 835

Transient evaporative laser cutting with moving laser by boundary element method, M.J. Kim 28 (2004) 891

Boundary-fitted co-ordinates

A three-dimensional eutrophication modeling in Tolo Harbour, K.W. Chau 28 (2004) 849

Bubble dynamics

Mathematical and physical modelling of bubble growth due to ultrasound, A.R. Naji Meidani and M. Hasan 28 (2004) 333

Buoyancy production

Comparison of three buoyancy extended versions of the k–ϵ–$\overline{t'^2}$ model in predicting turbulent plane plume, A. Dewan, K. Kalita and A.K. Dass 28 (2004) 241

Capillary waves

Gravity-capillary internal wave simulation using a binary fluid lattice Boltzmann model, J.M. Buick, J.A. Cosgrove and C.A. Greated 28 (2004) 183

Catalytic converter

Transient modelling of flow distribution in automotive catalytic converters, D.N. Tsinoglou, G.C. Koltsakis, D.K. Missirlis and K.J. Yakinthos 28 (2004) 775

CFD

Automotive catalyst design for uniform conversion efficiency, S.F. Benjamin, Z. Liu and C.A. Roberts 28 (2004) 559
Simulation of the agglomeration in a spray using Lagrangian particle tracking, B. Guo, D.F. Fletcher and T.A.G. Langrish 28 (2004) 273
Transient modelling of flow distribution in automotive catalytic converters, D.N. Tsinoglou, G.C. Koltsakis, D.K. Missirlis and K.J. Yakinthos 28 (2004) 775

Characteristic functional

A theoretical note on the distribution of a filtered compound doubly stochastic Poisson process, P.R. Bouzas, M.J. Valderrama and A.M. Aguilera 28 (2004) 769

Coating permeability

Modeling the effect of mould wall roughness on the melt flow simulation in casting process, S.M.H. Mirbagheri, M. Dadashzadeh, S. Serajzadeh, A.K. Taheri and P. Davami 28 (2004) 933

Complex terrain

A numerical study of plume dispersion motivated by a mesoscale atmospheric flow over a complex terrain, G. Wang and M. Ostoja-Starzewski 28 (2004) 957

Compound Poisson process

A theoretical note on the distribution of a filtered compound doubly stochastic Poisson process, P.R. Bouzas, M.J. Valderrama and A.M. Aguilera 28 (2004) 769

Conduction/radiation

On the conduction/radiation heat transfer problem in a body with wavelength-dependent properties, R.M. Saldanha da Gama 28 (2004) 795

Contact problem

Numerical studies of the stability of steady-state solutions to a contact problem in coupled thermoelasticity, M.I.M. Copetti and D.A. French 28 (2004) 323

Contract valuation

Take-or-pay contract valuation under price and private uncertainty, M.J. Kaiser and S. Tumma 28 (2004) 653

Conversion efficiency

Automotive catalyst design for uniform conversion efficiency, S.F. Benjamin, Z. Liu and C.A. Roberts 28 (2004) 559

Coupled thermoelasticity

Numerical studies of the stability of steady-state solutions to a contact problem in coupled thermoelasticity, M.I.M. Copetti and D.A. French 28 (2004) 323

Crack tip element

Analysis for a crack emanating from a corner of a square hole in an infinite plate using the hybrid displacement discontinuity method, X. Yan 28 (2004) 835

Dam break

Numerical simulation of breaking waves using a two-phase flow model, P.D. Hieu, T. Katsutoshi and V.T. Ca 28 (2004) 983

Differential calculus of norms

New upper bounds for free linear and nonlinear vibration systems with applications of the differential calculus of norms, L. Kohaupt 28 (2004) 367

Differential quadrature

DQEM and DQFDM irregular elements for analyses of 2-D heat conduction in orthotropic media, C.-N. Chen 28 (2004) 617

Differential quadrature element method

DQEM and DQFDM irregular elements for analyses of 2-D heat conduction in orthotropic media, C.-N. Chen 28 (2004) 617

Differential quadrature finite difference method

DQEM and DQFDM irregular elements for analyses of 2-D heat conduction in orthotropic media, C.-N. Chen 28 (2004) 617

Differential quadrature method

A mixed method for bending and free vibration of beams resting on a Pasternak elastic foundation, W.Q. Chen, C.F. Lü and Z.G. Bian 28 (2004) 877

Spline-based differential quadrature for fourth order differential equations and its application to Kirchhoff plates, H. Zhong 28 (2004) 353

Direct numerical simulation

Direct numerical simulation as a tool for understanding MHD liquid metal turbulence, O. Zikanov and A. Thess 28 (2004) 1

Discrete-event control

A language measure for performance evaluation of discrete-event supervisory control systems, X. Wang and A. Ray 28 (2004) 817

Discrete-time

Stochastic modeling and real-time prediction of incident effects on surface street traffic congestion, J.-B. Sheu, Y.-H. Chou and A. Chen 28 (2004) 445

Displacement discontinuity

Analysis for a crack emanating from a corner of a square hole in an infinite plate using the hybrid displacement discontinuity method, X. Yan 28 (2004) 835

Distance functions

Measuring the impact of incentive regulation on technical efficiency in telecommunications in the United States, N.D. Uri 28 (2004) 255

Donor–acceptor cells

Modeling the effect of mould wall roughness on the melt flow simulation in casting process, S.M.H. Mirbagheri, M. Dadashzadeh, S. Serajzadeh, A.K. Taheri and P. Davami 28 (2004) 933

Doubly stochastic Poisson process

A theoretical note on the distribution of a filtered compound doubly stochastic Poisson process, P.R. Bouzas, M.J. Valderrama and A.M. Aguilera 28 (2004) 769

DtN map

Solving exterior problems of wave propagation based on an iterative variation of local DtN operators, M. Premrov and I. Špacapan 28 (2004) 291

Early startup

Bi-level control for batch arrival queues with an early startup and un-reliable server, J.-C. Ke 28 (2004) 469

Environmental modeling

A three-dimensional eutrophication modeling in Tolo Harbour, K.W. Chau 28 (2004) 849

Eutrophication phenomena

A three-dimensional eutrophication modeling in Tolo Harbour, K.W. Chau 28 (2004) 849

Extended differential quadrature

DQEM and DQFDM irregular elements for analyses of 2-D heat conduction in orthotropic media, C.-N. Chen 28 (2004) 617

Fictitious boundary

Solving exterior problems of wave propagation based on an iterative variation of local DtN operators, M. Premrov and I. Špacapan 28 (2004) 291

Filtered processes

A theoretical note on the distribution of a filtered compound doubly stochastic Poisson process, P.R. Bouzas, M.J. Valderrama and A.M. Aguilera 28 (2004) 769

Finite element method

Analysis of extension propagation process of interface crack between belts of a radial tire using a finite element method, X. Feng, X. Yan, Y. Wei and X. Du 28 (2004) 145

Numerical studies of the stability of steady-state solutions to a contact problem in coupled thermoelasticity, M.I.M. Copetti and D.A. French 28 (2004) 323

Finite element models

Mathematical models of a biosensor, N.D. Botkin and V.L. Turova 28 (2004) 573

Finite volume

A finite volume unstructured mesh approach to dynamic fluid–structure interaction: an assessment of the challenge of predicting the onset of flutter, A.K. Slone, K. Pericleous, C. Bailey, M. Cross and C. Bennett 28 (2004) 211

Fire management

A GIS based operational system for wildland fire crisis management II. System architecture and case studies, D. Vakalis, H. Sarimveis, C.T. Kiranoudis, A. Alexandridis and G. Bafas 28 (2004) 411

Fire modelling

A GIS based operational system for wildland fire crisis management I. Mathematical modelling and simulation, D. Vakalis, H. Sarimveis, C. Kiranoudis, A. Alexandridis and G. Bafas 28 (2004) 389

Fire simulation

A GIS based operational system for wildland fire crisis management II. System architecture and case studies, D. Vakalis, H. Sarimveis, C.T. Kiranoudis, A. Alexandridis and G. Bafas 28 (2004) 411

Fire spread rate

A GIS based operational system for wildland fire crisis management I. Mathematical modelling and simulation, D. Vakalis, H. Sarimveis, C. Kiranoudis, A. Alexandridis and G. Bafas 28 (2004) 389

Flow distribution

Transient modelling of flow distribution in automotive catalytic converters, D.N. Tsinoglou, G.C. Koltsakis, D.K. Missirlis and K.J. Yakinthos 28 (2004) 775

Flowpath

A Lagrangian relaxation approach to solving the integrated pick-up/drop-off point and AGV flowpath design problem, S. Rajagopalan, S.S. Heragu and G.D. Taylor 28 (2004) 735

Fluid–solid interface

Mathematical models of a biosensor, N.D. Botkin and V.L. Turova 28 (2004) 573

Fluid–structure interaction

A finite volume unstructured mesh approach to dynamic fluid–structure interaction: an assessment of the challenge of predicting the onset of flutter, A.K. Slone, K. Pericleous, C. Bailey, M. Cross and C. Bennett 28 (2004) 211

Formal languages

A language measure for performance evaluation of discrete-event supervisory control systems, X. Wang and A. Ray 28 (2004) 817

Free boundary problems

A model for melting of an inhomogeneous material during modulated temperature differential scanning calorimetry, C.V. Nikolopoulos 28 (2004) 427

Free surface simulation

Modeling the effect of mould wall roughness on the melt flow simulation in casting process, S.M.H. Mirbagheri, M. Dadashzadeh, S. Serajzadeh, A.K. Taheri and P. Davami 28 (2004) 933

Fuzzy systems

A GIS based operational system for wildland fire crisis management I. Mathematical modelling and simulation, D. Vakalis, H. Sarimveis, C. Kiranoudis, A. Alexandridis and G. Bafas 28 (2004) 389

Gassy liquid

Mathematical and physical modelling of bubble growth due to ultrasound, A.R. Naji Meidani and M. Hasan 28 (2004) 333

Gaussian elimination

Efficient a priori pivoting schemes for a sparse direct Gaussian equation solver for the mixed finite element formulation of the Navier–Stokes equations, S.Ø. Wille, Ø. Staff and A.F.D. Loula 28 (2004) 607

Gaussian source

View factor for inclined plane with Gaussian source, S.J. Sugden 28 (2004) 1063

Generic differential

DQEM and DQFDM irregular elements for analyses of 2-D heat conduction in orthotropic media, C.-N. Chen 28 (2004) 617

Geometric conservation law

A finite volume unstructured mesh approach to dynamic fluid–structure interaction: an assessment of the challenge of predicting the onset of flutter, A.K. Slone, K. Pericleous, C. Bailey, M. Cross and C. Bennett 28 (2004) 211

Geometric non-linearity

Transient evaporative laser cutting with moving laser by boundary element method, M.J. Kim 28 (2004) 891

GIS

A GIS based operational system for wildland fire crisis management II. System architecture and case studies, D. Vakalis, H. Sarimveis, C.T. Kiranoudis, A. Alexandridis and G. Bafas 28 (2004) 411

Gravity waves

Gravity-capillary internal wave simulation using a binary fluid lattice Boltzmann model, J.M. Buick, J.A. Cosgrove and C.A. Greated 28 (2004) 183

Hall effect

Hall effect on unsteady MHD Couette flow and heat transfer of a Bingham fluid with suction and injection, H.A. Attia and M.E. Sayed-Ahmed 28 (2004) 1027

Heat conduction

Simple algorithm for temperature distribution calculations, J. Gembarovic, M. Löffler and J. Gembarovic, Jr. 28 (2004) 173

Heat equation

A model for melting of an inhomogeneous material during modulated temperature differential scanning calorimetry, C.V. Nikolopoulos 28 (2004) 427

Heat flux

Comparison of three buoyancy extended versions of the k–ϵ–$\overline{t^2}$ model in predicting turbulent plane plume, A. Dewan, K. Kalita and A.K. Dass 28 (2004) 241

Heat pipe

Generalized extremal optimization: An application in heat pipe design, F.L. de Sousa, V. Vlassov and F.M. Ramos 28 (2004) 911

Heat transfer

Hall effect on unsteady MHD Couette flow and heat transfer of a Bingham fluid with suction and injection, H.A. Attia and M.E. Sayed-Ahmed 28 (2004) 1027

Transient modelling of flow distribution in automotive catalytic converters, D.N. Tsinoglou, G.C. Koltsakis, D.K. Missirlis and K.J. Yakinthos 28 (2004) 775

Hydraulic model

Analytical approximation of open-channel flow for controller design, X. Litrico and V. Fromion 28 (2004) 677

Hydrostatic approximation

A numerical study of plume dispersion motivated by a mesoscale atmospheric flow over a complex terrain, G. Wang and M. Ostoja-Starzewski 28 (2004) 957

Impeller

Entrainment of inclusions from the dross in stirred reactors for melt treatment, S.T. Johansen, S. Graadahl and T.F. Hagelien 28 (2004) 63

Incentive regulation

Measuring the impact of incentive regulation on technical efficiency in telecommunications in the United States, N.D. Uri 28 (2004) 255

Incident-induced traffic congestion

Stochastic modeling and real-time prediction of incident effects on surface street traffic congestion, J.-B. Sheu, Y.-H. Chou and A. Chen 28 (2004) 445

Infinite domains

Solving exterior problems of wave propagation based on an iterative variation of local DtN operators, M. Premrov and I. Špacapan 28 (2004) 291

Initial and asymptotic behaviour

New upper bounds for free linear and nonlinear vibration systems with applications of the differential calculus of norms, L. Kohaupt 28 (2004) 367

Interface crack

Analysis of extension propagation process of interface crack between belts of a radial tire using a finite element method, X. Feng, X. Yan, Y. Wei and X. Du 28 (2004) 145

Interface phenomena

Mathematical and physical modelling of bubble growth due to ultrasound, A.R. Naji Meidani and M. Hasan 28 (2004) 333

Internal waves

Gravity-capillary internal wave simulation using a binary fluid lattice Boltzmann model, J.M. Buick, J.A. Cosgrove and C.A. Greated 28 (2004) 183

Iterative solvers

Efficient a priori pivoting schemes for a sparse direct Gaussian equation solver for the mixed finite element formulation of the Navier–Stokes equations, S.Ø. Wille, Ø. Staff and A.F.D. Loula 28 (2004) 607

Lagrangian method

Simulation of the agglomeration in a spray using Lagrangian particle tracking, B. Guo, D.F. Fletcher and T.A.G. Langrish 28 (2004) 273

Lagrangian relaxation

A Lagrangian relaxation approach to solving the integrated pick-up/drop-off point and AGV flowpath design problem, S. Rajagopalan, S.S. Heragu and G.D. Taylor 28 (2004) 735

Laplace transform

Analytical approximation of open-channel flow for controller design, X. Litrico and V. Fromion 28 (2004) 677
Unsteady unidirectional flow of Bingham fluid between parallel plates with different given volume flow rate conditions, C.-I. Chen, C.-K. Chen and Y.-T. Yang 28 (2004) 697

Large eddy simulation

Numerical simulation of breaking waves using a two-phase flow model, P.D. Hieu, T. Katsutoshi and V.T. Ca 28 (2004) 983

Lattice Boltzmann

Gravity-capillary internal wave simulation using a binary fluid lattice Boltzmann model, J.M. Buick, J.A. Cosgrove and C.A. Greated 28 (2004) 183

Linear and nonlinear differential equations

New upper bounds for free linear and nonlinear vibration systems with applications of the differential calculus of norms, L. Kohaupt 28 (2004) 367

Liquid metals

Direct numerical simulation as a tool for understanding MHD liquid metal turbulence, O. Zikanov and A. Thess 28 (2004) 1

Local exchange carriers

Measuring the impact of incentive regulation on technical efficiency in telecommunications in the United States, N.D. Uri 28 (2004) 255

Localized differential quadrature

A numerical study of wave propagation in a poroelastic medium by use of localized differential quadrature method, K.Y. Lam, J. Zhang and Z. Zong 28 (2004) 487

Love waves

Mathematical models of a biosensor, N.D. Botkin and V.L. Turova 28 (2004) 573

Machine repair

Bilevel control of degraded machining system with warm standbys, setup and vacation, M. Jain, Rakhee and M. Singh 28 (2004) 1015

Maxwell's equations

Microwave thawing of cylinders, M.Z.C. Lee and T.R. Marchant 28 (2004) 711

Mean time to failure (MTTF)

N-policy for a machine repair system with spares and reneging, M. Jain, Rakhee and S. Maheshwari 28 (2004) 513

Melt refining

Entrainment of inclusions from the dross in stirred reactors for melt treatment, S.T. Johansen, S. Graadahl and T.F. Hagelien 28 (2004) 63

Mesoscale meteorological model

A numerical study of plume dispersion motivated by a mesoscale atmospheric flow over a complex terrain, G. Wang and M. Ostoja-Starzewski 28 (2004) 957

MHD flow

Hall effect on unsteady MHD Couette flow and heat transfer of a Bingham fluid with suction and injection, H.A. Attia and M.E. Sayed-Ahmed 28 (2004) 1027

MHD turbulence

Direct numerical simulation as a tool for understanding MHD liquid metal turbulence, O. Zikanov and A. Thess 28 (2004) 1

Microwave heating

Microwave thawing of cylinders, M.Z.C. Lee and T.R. Marchant 28 (2004) 711

Minimum principle

On the conduction/radiation heat transfer problem in a body with wavelength-dependent properties, R.M. Saldanha da Gama 28 (2004) 795

Modified Planck's law

On the conduction/radiation heat transfer problem in a body with wavelength-dependent properties, R.M. Saldanha da Gama 28 (2004) 795

Modulated temperature differential scanning calorimetry

A model for melting of an inhomogeneous material during modulated temperature differential scanning calorimetry, C.V. Nikolopoulos 28 (2004) 427

Monte Carlo simulation

Take-or-pay contract valuation under price and private uncertainty, M.J. Kaiser and S. Tumma 28 (2004) 653

Moving boundary

Mathematical and physical modelling of bubble growth due to ultrasound, A.R. Naji Meidani and M. Hasan 28 (2004) 333

Multi-layered structure

Mathematical models of a biosensor, N.D. Botkin and V.L. Turova 28 (2004) 573

Multivariate interpolation methods

Gradient-assisted radial basis function networks: theory and applications, I.C. Kampolis, E.I. Karangelos and K.C. Giannakoglou 28 (2004) 197

Negotiation strategies

Take-or-pay contract valuation under price and private uncertainty, M.J. Kaiser and S. Tumma 28 (2004) 653

Nested grid

A numerical study of plume dispersion motivated by a mesoscale atmospheric flow over a complex terrain, G. Wang and M. Ostoja-Starzewski 28 (2004) 957

Neural network

Modeling and control of a web-fed machine, C.-L. Chen, K.-M. Chang and C.-M. Chang 28 (2004) 863

Neural networks

A GIS based operational system for wildland fire crisis management I. Mathematical modelling and simulation, D. Vakalis, H. Sarimveis, C. Kiranoudis, A. Alexandridis and G. Bafas 28 (2004) 389

Newmark algorithm

A finite volume unstructured mesh approach to dynamic fluid–structure interaction: an assessment of the challenge of predicting the onset of flutter, A.K. Slone, K. Pericleous, C. Bailey, M. Cross and C. Bennett 28 (2004) 211

Noisy environment

Gradient-assisted radial basis function networks: theory and applications, I.C. Kampolis, E.I. Karangelos and K.C. Giannakoglou 28 (2004) 197

Non-coaxial rotation

Flow induced by non-coaxial rotation of a porous disk executing non-torsional oscillations and a second grade fluid rotating at infinity, T. Hayat, R. Ellahi, S. Asghar and A.M. Siddiqui 28 (2004) 591

Non-Newtonian fluids

Hall effect on unsteady MHD Couette flow and heat transfer of a Bingham fluid with suction and injection, H.A. Attia and M.E. Sayed-Ahmed 28 (2004) 1027

Nonlinear damping

Surface seismic Rayleigh wave with nonlinear damping, J. Fan 28 (2004) 163

Nonlinear PDEs

Surface seismic Rayleigh wave with nonlinear damping, J. Fan 28 (2004) 163

Nonlinear phenomenon

On the conduction/radiation heat transfer problem in a body with wavelength-dependent properties, R.M. Saldanha da Gama 28 (2004) 795

N-policy

N-policy for a machine repair system with spares and reneging, M. Jain, Rakhee and S. Maheshwari 28 (2004) 513

Nudging scheme

A numerical study of plume dispersion motivated by a mesoscale atmospheric flow over a complex terrain, G. Wang and M. Ostoja-Starzewski 28 (2004) 957

Numerical algorithm

Simple algorithm for temperature distribution calculations, J. Gembarovic, M. Löffler and J. Gembarovic, Jr. 28 (2004) 173

Numerical simulation

Analysis of extension propagation process of interface crack between belts of a radial tire using a finite element method, X. Feng, X. Yan, Y. Wei and X. Du 28 (2004) 145

Simulation of the agglomeration in a spray using Lagrangian particle tracking, B. Guo, D.F. Fletcher and T.A.G. Langrish 28 (2004) 273

Numerical solution

Hall effect on unsteady MHD Couette flow and heat transfer of a Bingham fluid with suction and injection, H.A. Attia and M.E. Sayed-Ahmed 28 (2004) 1027

Numerical techniques

Spline-based differential quadrature for fourth order differential equations and its application to Kirchhoff plates, H. Zhong 28 (2004) 353

Open-channel flow

Analytical approximation of open-channel flow for controller design, X. Litrico and V. Fromion 28 (2004) 677

Operational system

A GIS based operational system for wildland fire crisis management II. System architecture and case studies, D. Vakalis, H. Sarimveis, C.T. Kiranoudis, A. Alexandridis and G. Bafas 28 (2004) 411

Optimal design

Generalized extremal optimization: An application in heat pipe design, F.L. de Sousa, V. Vlassov and F.M. Ramos 28 (2004) 911

Optimal upper bound

New upper bounds for free linear and nonlinear vibration systems with applications of the differential calculus of norms, L. Kohaupt 28 (2004) 367

Optimization

Generalized extremal optimization: An application in heat pipe design, F.L. de Sousa, V. Vlassov and F.M. Ramos 28 (2004) 911

Oscillating disk

Flow induced by non-coaxial rotation of a porous disk executing non-torsional oscillations and a second grade fluid rotating at infinity, T. Hayat, R. Ellahi, S. Asghar and A.M. Siddiqui 28 (2004) 591

Overdamped motion

New upper bounds for free linear and nonlinear vibration systems with applications of the differential calculus of norms, L. Kohaupt 28 (2004) 367

pld Points

A Lagrangian relaxation approach to solving the integrated pick-up/drop-off point and AGV flowpath design problem, S. Rajagopalan, S.S. Heragu and G.D. Taylor 28 (2004) 735

Particle re-entrainment

Entrainment of inclusions from the dross in stirred reactors for melt treatment, S.T. Johansen, S. Graadahl and T.F. Hagelien 28 (2004) 63

Particles

Simulation of the agglomeration in a spray using Lagrangian particle tracking, B. Guo, D.F. Fletcher and T.A.G. Langrish 28 (2004) 273

Paso del Norte ozone study

A numerical study of plume dispersion motivated by a mesoscale atmospheric flow over a complex terrain, G. Wang and M. Ostoja-Starzewski 28 (2004) 957

Pasternak elastic foundation

A mixed method for bending and free vibration of beams resting on a Pasternak elastic foundation, W.Q. Chen, C.F. Lü and Z.G. Bian 28 (2004) 877

Performance measure

A language measure for performance evaluation of discrete-event supervisory control systems, X. Wang and A. Ray 28 (2004) 817

Perturbation methods

A model for melting of an inhomogeneous material during modulated temperature differential scanning calorimetry, C.V. Nikolopoulos 28 (2004) 427

Photographic technique

Modeling the effect of mould wall roughness on the melt flow simulation in casting process, S.M.H. Mirbagheri, M. Dadashzadeh, S. Serajzadeh, A.K. Taheri and P. Davami 28 (2004) 933

Plane plume

Comparison of three buoyancy extended versions of the k–ϵ–$\overline{t'^2}$ model in predicting turbulent plane plume, A. Dewan, K. Kalita and A.K. Dass 28 (2004) 241

Pneumatic tire

Analysis of extension propagation process of interface crack between belts of a radial tire using a finite element method, X. Feng, X. Yan, Y. Wei and X. Du 28 (2004) 145

Poroelasticity

A numerical study of wave propagation in a poroelastic medium by use of localized differential quadrature method, K.Y. Lam, J. Zhang and Z. Zong 28 (2004) 487

Porosity

Flow induced by non-coaxial rotation of a porous disk executing non-torsional oscillations and a second grade fluid rotating at infinity, T. Hayat, R. Ellahi, S. Asghar and A.M. Siddiqui 28 (2004) 591

Pressure gradient

Unsteady unidirectional flow of Bingham fluid between parallel plates with different given volume flow rate conditions, C.-I. Chen, C.-K. Chen and Y.-T. Yang 28 (2004) 697

Private uncertainty

Take-or-pay contract valuation under price and private uncertainty, M.J. Kaiser and S. Tumma 28 (2004) 653

Queue

Bi-level control for batch arrival queues with an early startup and un-reliable server, J.-C. Ke 28 (2004) 469

Queue size

Bilevel control of degraded machining system with warm standbys, setup and vacation, M. Jain, Rakhee and M. Singh 28 (2004) 1015

Radial basis function networks

Gradient-assisted radial basis function networks: theory and applications, I.C. Kampolis, E.I. Karangelos and K.C. Giannakoglou 28 (2004) 197

Radiation condition

Solving exterior problems of wave propagation based on an iterative variation of local DtN operators, M. Premrov and I. Špacapan 28 (2004) 291

Rayleigh wave

Surface seismic Rayleigh wave with nonlinear damping, J. Fan 28 (2004) 163

Real-time prediction

Stochastic modeling and real-time prediction of incident effects on surface street traffic congestion, J.-B. Sheu, Y.-H. Chou and A. Chen 28 (2004) 445

Real-time simulation

A three-dimensional eutrophication modeling in Tolo Harbour, K.W. Chau 28 (2004) 849

Rectified diffusion

Mathematical and physical modelling of bubble growth due to ultrasound, A.R. Naji Meidani and M. Hasan 28 (2004) 333

Recursive technique

Bilevel control of degraded machining system with warm standbys, setup and vacation, M. Jain, . Rakhee and M. Singh 28 (2004) 1015

Relaxation factors

Modeling the effect of mould wall roughness on the melt flow simulation in casting process, S.M.H. Mirbagheri, M. Dadashzadeh, S. Serajzadeh, A.K. Taheri and P. Davami 28 (2004) 933

Reliability

N-policy for a machine repair system with spares and reneging, M. Jain, Rakhee and S. Maheshwari 28 (2004) 513

Reneging

N-policy for a machine repair system with spares and reneging, M. Jain, Rakhee and S. Maheshwari 28 (2004) 513

Repairable system

N-policy for a machine repair system with spares and reneging, M. Jain, Rakhee and S. Maheshwari 28 (2004) 513

Runge–Kutta method

A numerical study of wave propagation in a poroelastic medium by use of localized differential quadrature method, K.Y. Lam, J. Zhang and Z. Zong 28 (2004) 487

Saint-Venant equations

Analytical approximation of open-channel flow for controller design, X. Litrico and V. Fromion 28 (2004) 677

Second grade fluid

Flow induced by non-coaxial rotation of a porous disk executing non-torsional oscillations and a second grade fluid rotating at infinity, T. Hayat, R. Ellahi, S. Asghar and A.M. Siddiqui 28 (2004) 591

Segregation of variables

Efficient a priori pivoting schemes for a sparse direct Gaussian equation solver for the mixed finite element formulation of the Navier–Stokes equations, S.Ø. Wille, Ø. Staff and A.F.D. Loula 28 (2004) 607

Self-organized criticality

Generalized extremal optimization: An application in heat pipe design, F.L. de Sousa, V. Vlassov and F.M. Ramos 28 (2004) 911

Semi-analytical solutions

Microwave thawing of cylinders, M.Z.C. Lee and T.R. Marchant 28 (2004) 711

Sliding mode control

Modeling and control of a web-fed machine, C.-L. Chen, K.-M. Chang and C.-M. Chang 28 (2004) 863

Small parameter perturbation

Surface seismic Rayleigh wave with nonlinear damping, J. Fan 28 (2004) 163

Solar radiation

View factor for inclined plane with Gaussian source, S.J. Sugden 28 (2004) 1063

Spares

N-policy for a machine repair system with spares and reneging, M. Jain, Rakhee and S. Maheshwari 28 (2004) 513

Sparse solvers

Efficient a priori pivoting schemes for a sparse direct Gaussian equation solver for the mixed finite element formulation of the Navier–Stokes equations, S.Ø. Wille, Ø. Staff and A.F.D. Loula 28 (2004) 607

Spline-based differential quadrature method

Spline-based differential quadrature for fourth order differential equations and its application to Kirchhoff plates, H. Zhong 28 (2004) 353

Spray

Simulation of the agglomeration in a spray using Lagrangian particle tracking, B. Guo, D.F. Fletcher and T.A.G. Langrish 28 (2004) 273

Startup time

Bilevel control of degraded machining system with warm standbys, setup and vacation, M. Jain, Rakhee and M. Singh 28 (2004) 1015

State equation

A mixed method for bending and free vibration of beams resting on a Pasternak elastic foundation, W.Q. Chen, C.F. Lü and Z.G. Bian 28 (2004) 877

State space method

A mixed method for bending and free vibration of beams resting on a Pasternak elastic foundation, W.Q. Chen, C.F. Lü and Z.G. Bian 28 (2004) 877

Steady-state solutions

Numerical studies of the stability of steady-state solutions to a contact problem in coupled thermoelasticity, M.I.M. Copetti and D.A. French 28 (2004) 323

Stefan problem

Microwave thawing of cylinders, M.Z.C. Lee and T.R. Marchant 28 (2004) 711

Stochastic modeling

Stochastic modeling and real-time prediction of incident effects on surface street traffic congestion, J.-B. Sheu, Y.-H. Chou and A. Chen 28 (2004) 445

Storing cereals

Air traverse time in grain bins, E.A. Smith and D.S. Jayas 28 (2004) 1047

Stress intensity factor

Analysis for a crack emanating from a corner of a square hole in an infinite plate using the hybrid displacement discontinuity method, X. Yan 28 (2004) 835

Technical efficiency

Measuring the impact of incentive regulation on technical efficiency in telecommunications in the United States, N.D. Uri 28 (2004) 255

Temperature distribution

Simple algorithm for temperature distribution calculations, J. Gembarovic, M. Löffler and J. Gembarovic, Jr. 28 (2004) 173

Tension control

Modeling and control of a web-fed machine, C.-L. Chen, K.-M. Chang and C.-M. Chang 28 (2004) 863

Terrain-following coordinate system

A numerical study of plume dispersion motivated by a mesoscale atmospheric flow over a complex terrain, G. Wang and M. Ostoja-Starzewski 28 (2004) 957

Thawing

Microwave thawing of cylinders, M.Z.C. Lee and T.R. Marchant 28 (2004) 711

Three-dimensional

Entrainment of inclusions from the dross in stirred reactors for melt treatment, S.T. Johansen, S. Graadahl and T.F. Hagelien 28 (2004) 63

Three-dimensional model

A three-dimensional eutrophication modeling in Tolo Harbour, K.W. Chau 28 (2004) 849

Tolo Harbour

A three-dimensional eutrophication modeling in Tolo Harbour, K.W. Chau 28 (2004) 849

Transient evaporative laser cutting

Transient evaporative laser cutting with moving laser by boundary element method, M.J. Kim 28 (2004) 891

Transient structural dynamics

A finite volume unstructured mesh approach to dynamic fluid–structure interaction: an assessment of the challenge of predicting the onset of flutter, A.K. Slone, K. Pericleous, C. Bailey, M. Cross and C. Bennett 28 (2004) 211

Trapezoidal piston motion

Unsteady unidirectional flow of Bingham fluid between parallel plates with different given volume flow rate conditions, C.-I. Chen, C.-K. Chen and Y.-T. Yang 28 (2004) 697

Traverse time

Air traverse time in grain bins, E.A. Smith and D.S. Jayas 28 (2004) 1047

Turbulence models

Comparison of three buoyancy extended versions of the k–ϵ–$\overline{t'^2}$ model in predicting turbulent plane plume, A. Dewan, K. Kalita and A.K. Dass 28 (2004) 241

Two-phase flow model

Numerical simulation of breaking waves using a two-phase flow model, P.D. Hieu, T. Katsutoshi and V.T. Ca 28 (2004) 983

Ultrasonic degassing

Mathematical and physical modelling of bubble growth due to ultrasound, A.R. Naji Meidani and M. Hasan 28 (2004) 333

Un-reliable

Bi-level control for batch arrival queues with an early startup and un-reliable server, J.-C. Ke 28 (2004) 469

Unsteady flow

Flow induced by non-coaxial rotation of a porous disk executing non-torsional oscillations and a second grade fluid rotating at infinity, T. Hayat, R. Ellahi, S. Asghar and A.M. Siddiqui 28 (2004) 591

Vacation

Bilevel control of degraded machining system with warm standbys, setup and vacation, M. Jain, Rakhee and M. Singh 28 (2004) 1015

Velocity profile

Unsteady unidirectional flow of Bingham fluid between parallel plates with different given volume flow rate conditions, C.-I. Chen, C.-K. Chen and Y.-T. Yang 28 (2004) 697

Vibration systems

New upper bounds for free linear and nonlinear vibration systems with applications of the differential calculus of norms, L. Kohaupt 28 (2004) 367

View factor

View factor for inclined plane with Gaussian source, S.J. Sugden 28 (2004) 1063

VOF method

Numerical simulation of breaking waves using a two-phase flow model, P.D. Hieu, T. Katsutoshi and V.T. Ca 28 (2004) 983

Warm standbys

Bilevel control of degraded machining system with warm standbys, setup and vacation, M. Jain, Rakhee and M. Singh 28 (2004) 1015

Wave breaking

Numerical simulation of breaking waves using a two-phase flow model, P.D. Hieu, T. Katsutoshi and V.T. Ca 28 (2004) 983

Wavelength-dependent properties

On the conduction/radiation heat transfer problem in a body with wavelength-dependent properties, R.M. Saldanha da Gama 28 (2004) 795

Wave motion

Solving exterior problems of wave propagation based on an iterative variation of local DtN operators, M. Premrov and I. Špacapan 28 (2004) 291

Wave propagation

A numerical study of wave propagation in a poroelastic medium by use of localized differential quadrature method, K.Y. Lam, J. Zhang and Z. Zong 28 (2004) 487

Web-fed machine

Modeling and control of a web-fed machine, C.-L. Chen, K.-M. Chang and C.-M. Chang 28 (2004) 863

Weighting coefficients

Spline-based differential quadrature for fourth order differential equations and its application to Kirchhoff plates, H. Zhong 28 (2004) 353